



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

"Expectorants," by V. E. Henderson and A. H. Taylor.

SPECIAL ARTICLES

ELLIPTIC INTERFERENCE IN CONNECTION WITH REFLECTING GRATING

IN my earlier papers¹ and in a forthcoming theoretical account of the subject, I have shown the practical advantages obtained by associating the interferences of thin plates with the diffractions of the transparent grating—a subject originally suggested to me by the phenomenon of coronas, in which a marked interference phenomenon was also superposed on the diffractions. These elliptic fringes may, however, be evoked in other ways than those discussed, and it is to some of these that I venture to refer here.

Let the oblique mirror in Michelson's apparatus, for instance, be the usual plate of glass and replace the two opaque mirrors *M* and *N* by identical small reflecting gratings, set at the angle of diffraction of the spectrum, symmetrically to the incident rays. Here the elliptic interferences will be seen in the telescope at right angles to the rays issuing from the collimator. This adjustment is virtually the same as the plan of returning the diffracted spectra normally to the oblique transparent grating, discussed in the preceding paper in this JOURNAL. The fringes are rings.

Again, in a simple spectrometer adjustment for grating spectra, suppose the grating (either transmitting or reflecting) to be separated into two halves by a division parallel to the ruling. Then on displacing one of the halves, micrometrically, parallel to itself from its original coplanar position, elliptic interference must show itself in a way which is perhaps more direct than any of the methods hitherto treated. The fringes are straight.

CARL BARUS

BROWN UNIVERSITY, R. I.

THE AMERICAN SOCIETY OF NATURALISTS

THE twenty-eighth annual meeting of the American Society of Naturalists was held in the auditorium of the New York State College of Agriculture at Cornell University on December

¹ SCIENCE, XXXII., 1910, p. 92; *Am. Journal of Science*, XXX., 1910, p. 161.

29 and 30. The eastern branch of the American Society of Zoologists so arranged its program that members were enabled to attend the Naturalists' meeting. Many of the members of the Association of Anatomists and American Society of Bacteriologists which were meeting in Ithaca also attended the program. Although the Botanical Society of America met elsewhere a number of botanists came instead to the meetings of the Naturalists. It may fairly be said, judging from the number present at both sessions, that the Naturalists' symposium was the chief feature of general interest at the entire Ithaca meetings.

The one cause of general regret was the unavoidable absence of the president, Dr. D. T. MacDougal, who was ill in the Johns Hopkins Hospital. President MacDougal had so carefully planned the program and had done so much to instill enthusiasm into the entire arrangements that all felt the pronounced success of the occasion to be the result of his efforts.

Dr. MacDougal's well-thought-out and richly suggestive address on "Organic Response" was read at the annual dinner of the society by the vice-president, Professor H. S. Jennings.

At the meeting of the executive committee and at the business session of the society there was a general expression of the feeling that the present affiliation of the biological societies was highly desirable. The Anatomists, Bacteriologists, Zoologists and Naturalists which met at Ithaca might meet comfortably at many of the universities of the country which are situated, as Cornell is, in a small town. It was also felt that there was a far more favorable opportunity for personal discussions and exchange of ideas at a smaller meeting than at a more general one.

The Anatomists, Zoologists and Naturalists had a joint smoker at the Ithaca Hotel on Wednesday evening.

The Naturalists' dinner was given on the following evening at the Ithaca Hotel and was well attended. After the dinner the president's address was read.

The scientific program was given on Thursday afternoon and on Friday both fore- and afternoon.

The central topic of the discussions was the pure line conception in the study of inheritance and evolution. Most of the papers in the first part of the program seemed to support the views of Professor Johannsen, while several of the later papers on the program seemed to strongly suggest that selection and a modified Lamarckian view were yet to account for important factors in the